Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	phenoic adj1 antioxidant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:13
S2	9058	phenolic adj1 antioxidant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:13
S3	1386221	chromium or cr	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:14
S4	35	S2 with S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 14:30
S5	170	emblica adj1 officinalis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:19
S6	0	S1 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/06/06 11:18
S7	202	(emblica adj1 officinalis) or shilajit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:19

CC		()				
S8	308	(emblica adj1 officinalis) or (phyllanthus adj1 emblica)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:20
59	337	S8 or shilajit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:41
S10	3	S2 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:20
S11	10	S9 and (DBP with (fulvic adj1 acid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:21
S12	19	S9 and hyperglycemia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 12:04
S13	619	chromium and hyperglycemia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:42
S14	2415	(chromium or cr) and hyperglycemia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:41

C1E	1250	C14 and human	LIC DCDUD	AND	011	2007/06/06 44 44
S15	1358	S14 and human	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:41
S16	867	S15 and oral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:41
S17	,	S13 and humna	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:42
S18	. 567	S13 and human	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 11:42
S19	484	S18 and oral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/06/06 11:50
S20	1	S9 with hyperglycemia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 12:05
S21	9058	phenolic adj1 antioxidant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 14:30

	<u> </u>	<u></u>			T	1
S22	1386221	chromium or cr	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 14:30
S23	1061	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 14:31
S24	7	S23 and hyperglycemia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/06 14:31

Page 4

```
Micrococcus pyogenes var. aureus, and Escherichia coli
AUTHOR (S):
                          Tomita, Masao; Watanabe, Waichi
 CORPORATE SOURCE:
                          Univ. Kyoto
 SOURCE:
                          Yakugaku Zasshi (1953), 73, 209-11
                          CODEN: YKKZAJ; ISSN: 0031-6903
DOCUMENT TYPE:
                          Journal
LANGUAGE:
                          Unavailable
      Effective dilns. (1000 dilution = 1) to inhibit the growth of Mycobacterium
      tuberculosis, M. pyogenes var. aureus, and E. coli, resp., were tested in
      the following: 3,6-(NaO)2C6H3OPh, 4, 8, 8; 3,5-(NaO)2C6H3OPh, 16, 8, 4;
      6-NaOC6H4OC6H4ONa-4, 8, 8, 8; 6-MeOC6H4OC6H4OMe-3, all <8;
      6-MeOC6H4OC6H4OMe-4, <7, <6, <6; (3-MeOC6H4)20, <8, <7, <7;
      3-MeOC6H4OC6H4OMe-4, all <6; 6-MeOC6H4OC6H4OMe-6, <9, <8, <8;
      6-NaO2CC6H4OC6H4ONa, <2, <1, <1; 6-NaO2CC6H4OC6H4OMe-6, 1, <1, <1;
      5-PhOC9H6N, <18, <14, <14; 7-phenoxy-1,2,3,4-tetrahydroquinoline (I), all
      <20; 8-PhO analog of I, <22, <12, <12; 1-methyl-8-phenoxy-1,2,3,4-
      tetrahydroquinoline, all <7; 6,7-dimethoxy-8-(p-phenoxybenzyl)-1,2,3,4-
      tetrahydroisoquinoline, 8, -, -; (4-ClH2CC6H4)2O, <12, <10, <10;
      PhOC6H4CH2CONH2-p, 20, 20, <10; 6-HOH2CC6H4C6H4ONa-6, <1, 2, 4;
      6-BrH2CC6H4C6H4ONa-6, 1, 4, 4; 6-methoxy-7-hydroxy-1-(p-methoxybenzyl)-
      1,2,3,4-tetrahydroisoquinoline-HCl, 5, <5, <5; dauricine-HCl, all <1;
      depsidone, 4, <1, <1; dibenzo-\alpha -pyrone
      , 20, 20, <10; 6-dibenzopyran, all <10.
 => d his
      (FILE 'HOME' ENTERED AT 14:49:25 ON 06 JUN 2007)
     FILE 'BIOSIS, EMBASE, SCISEARCH, MEDLINE, CAPLUS' ENTERED AT 14:50:15 ON
      06 JUN 2007
L1
           24717 S PHENOLIC AND ANTIOXIDANT
L2
              59 S DIBENZO-ALPHA-PYRONE
L3
               0 S L1 AND L2
L4
         497764 S CHROMIUM
L5
              45 S L1 AND L4
L6
               1 S L2 AND L4
L7
              0 S L5 AND HYPERGLYCEMIA
L8
              1 S L5 AND DIABETES
L9
              35 DUPLICATE REMOVE L2 (24 DUPLICATES REMOVED)
=>
.---Logging off of STN---
Executing the logoff script...
=> LOG Y
COST IN U.S. DOLLARS
                                                  SINCE FILE
                                                                   TOTAL
                                                       ENTRY
                                                                 SESSION
FULL ESTIMATED COST
                                                       155.40
                                                                  155.82
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
                                                  SINCE FILE
                                                                   TOTAL
                                                       ENTRY
                                                                 SESSION
CA SUBSCRIBER PRICE
                                                        -11.70
                                                                  -11.70
```

STN INTERNATIONAL LOGOFF AT 14:53:50 ON 06 JUN 2007